
| | | £1.57 | TRAL INTELLIGEN | ICE AGENCY | REPORT NO. | |
|---------------------|--|--|--|--|--|---|
| | | | MOTAME | | _ | |
| | | e to the Wash of the second | ल र समझ्डार घ 'वे फेड केली' | ORNOR WOOD NEWS | CDANO | 25X1 |
| OF MISA | East | t Germany | | | GATE OFFER - 3 | Telephory 19 |
| 103°C111 | Bai | troud Construction | n Protects | | NO OF PAGES 5 | |
| LAC. COURED | | | 25 7 1 | Á. | NO. OF ENGLS. | ू पूजार इ |
| MATE OF NFO | | | 25X1 | 1 4 | SUPPLEMENT TO REPORT NO. | |
| • | | V (X) | | , | | |
| | | | | | | |
| | | | A AMERICA | | | |
| | | | HAL DEFENSE CONTINUE TO SECULIAR TO SECU | • | | |
| AND IN 4. OF THE | OFTENTS T | Da. As Amended The Victor 1955 | ED PERSON 2 | | ALUATED INFORMATION | |
| BILL I'M THE MAY NO | | HE REPRODUCTION OF VALLEY 1 S | THE REPORT | 25X1 | • | |
| | | £ | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| La | 03, 6. | 12 km of rails tis | Livered by the 3 | USSR, 200 km eac | h are to be allocate | d to the |
| | Berli | in. Dresden. 🔯 🖫 | | | | |
| | | | a, and Magdebur | gregional rail | road headcuarters, w | hile 112 |
| | jem 🙃 | rails will be re | ade available to | o the Erfurt ra | ilroad district. Fis | hile 112 h plates |
| | have | Tails will be no been sent aborg | ede available to out all the othe | o the Erfurt ra er small ir ö n f | ilroad district. Fis ittings required for | hile 112 h plates |
| | have | rails will be re | ede available to out all the othe | o the Erfurt ra er small ir ö n f | ilroad district. Fis ittings required for | hile 112 h plates |
| | have of re | rails will be a been sent alorg | ede available to out all the othe be producted by | o the Erfurt ra er small iron f y the railroad | ilroad district. Fis ittings required for administration. | hile 112 h plates the laying |
| 2 ₉ | have of re | Tails will be a been sent aborg ails will have to | ede available to out all the oth be producted by ed to cost six r | o the Erfurt ra er small iron f y the railroad million sastmar | ilroad district. Fis ittings required for administration. I ks is snheduled to b | hile 112 h plates the laying e erected |
| S" | have of re A swi on th | Tails will be a been sent abord wils will have to itch shop estimate be byremises of the | ede available to out all the other be producted by ed to cost six re- itrandenburg-We | o the Erfurt ra er small iron f y the railroad million emetmar est railspad re | ilroad district. Fis ittings required for administration. I ks is snheduled to b pair stop in Kirchso | hile 1.2 h plates the laying e erected eser. Work |
| 5. | have of ra A swi on th on th | tails will be a been sent abord ails will have to litch shop estimate be apprecises of the meaner install. | ede available to out all the other be producted by ed to cost six a strandenburg-We on is scheduled | o the Erfurt ra er small iron f y the railroad million emetmar est railspad re to be started, i | ilroad district. Fis ittings required for administration. I ks is snheduled to b | hile 1.2 h plates the laying e erected eser. Work |
| 3, | have of ra A swi on th on th | Tails will be a been sent abord wils will have to itch shop estimate be byremises of the | ede available to out all the other be producted by ed to cost six a strandenburg-We on is scheduled | o the Erfurt ra er small iron f y the railroad million emetmar est railspad re to be started, i | ilroad district. Fis ittings required for administration. I ks is snheduled to b pair stop in Kirchso | hile 1.2 h plates the laying e erected eser. Work |
| 2, | have of ra A swi on th on th Const | Trails will be a been sent abordails will have to itch shop estimate be premises of the hermonists and truction work is a | ede available to out all the other be producted by ed to cost six resistandenburg-We on is scheduled estimated to las | o the Erfurt ra er small iron f y the railroad million castmar est railspad re to be started i st two years. | ilroad district. Fisittings required for administration. I ks is snheduled to be pair stop in Kirchson the first quarter | hile 1.2 h plates the laying e erected eser. Work of 1954. |
| 2° 3° | have of randamental A switch on the Const | trails will be a been sent abordails will have to atthe shop estimate being remarked of the truction work is a conferenced of | ede available to out all the other be producted by ed to cost six resistandenburg-We on is scheduled estimated to last | o the Erfurt ra er small iron f y the railroad million castmar est railspad re to be started i st two years. 2 technical perso | ilroad district. Fisittings required for administration. It is snheduled to be pair stop in Kirchmon the first quarter onnel at the Ministry | hile 112 h plates the laying e erected eser. Work of 1954. |
| 2, | A switten the Constant on the Constant on 7 | tails will be a been sent along ails will have to litch shop estimate the premises of the method installable truction work is a constant of a confession of a | ade available to out all the other be producted by and to cost six re- itrandenburg-we on is scheduled estimated to lar arence held by was announded | o the Erfurt ra er small iron f y the railroad million eastmar est railspad re to be started i st two years. Technical perso that rails wit | ilroad district. Fisittings required for administration. I ks is snheduled to be pair stop in Kirchson the first quarter | hile 112 h plates the laying e erected eser. Work of 1954. |
| 2. | A switten the Constant on the Constant on 7 | trails will be a been sent abordails will have to atthe shop estimate being remarked of the truction work is a conferenced of | ade available to out all the other be producted by and to cost six re- itrandenburg-we on is scheduled estimated to lar arence held by was announded | o the Erfurt ra er small iron f y the railroad million eastmar est railspad re to be started i st two years. Technical perso that rails wit | ilroad district. Fisittings required for administration. It is snheduled to be pair stop in Kirchmon the first quarter onnel at the Ministry | hile 112 h plates the laying e erected eser. Work of 1954. |
| 3. | A switten the Constant on the Constant on 7 | tails will be a been sent along ails will have to litch shop estimate the premises of the method installable truction work is a constant of a confession of a | ade available to out all the other be producted by and to cost six re- itrandenburg-we on is scheduled estimated to lar arence held by was announded | o the Erfurt ra er small iron f y the railroad million electmar est railspad re to be started i st two years, technical perso that rails wit in 1954. | ilroad district. Fisittings required for administration. It is snheduled to be pair stop in Kirchmon the first quarter onnel at the Ministry | hile 112 h plates the laying e erected eser. Work of 1954. of Railroade at their |
| 3. | A switten the Constant on The | tails will be a been sent along ails will have to litch shop estimate the premises of the method installable truction work is a constant of a confession of a | ede available to out all the other be produced by ed to cost six re- is Brandenburg-We on is scheduled estimated to law erence held by the was announded of ed by the USSR in | o the Erfurt ra er small iron f y the railroad million electmar est railspad re to be started i st two years, technical perso that rails wit in 1954. | ilroad district. Fisittings required for administration. I ks is subseduled to be pair stop in Kirchmon the first quarter onnel at the Ministry ha width of 130 mm is | hile 112 h plates the laying e erected eser. Work of 1954. of Railroade at their |
| 3. | A switten of the Constant Cons | trails will be a been sent alorgated will have to itch shop estimate the premises of the bearing work as a construction work as a construction of a configuration of a configuration of a configuration of a configuration of a construction would be delighed to construction and the construction are a construction are construction. | ede available to out all the other be producted by ed to cost six re- is irandenburg-We on is scheduled estimated to law erence held by the was announded and by the USSR | o the Erfurt ra er small iron f y the railroad million elastmar est railspad re to be started i st two years, technical perso that rails wit in 1954. | ilroad district. Fisittings required for administration. I ks is subseduled to be pair stop in Kirchmon the first quarter onnel at the Ministry h a width of 130 mm. I formation on the star | hile 1!2 h plates the laying e erected eser. Work of 1954. of Railroads at their tus of rail- |
| 3. | A switch A s | rails will be a been sent alorgable will have to litch shop estimate the appreciate of the heavenises of the heavenises of the rection work is eccasion of a configuration of a configuration to deal in a construction to the maintenance of the maintenance of the maintenance of the maintenance of the construction and the construction are also because of the maintenance of the construction are also because of the maintenance of the construction are also because of the construction are also b | ede available to out all the other be producted by ed to cost six residenting—We on is scheduled estimated to law exerce held by the USSR in jects: | o the Erfurt ra er small iron f y the railroad million elastmar est railfoad re to be started i st two years, technical perso that rails wit in 1954. in | ilroad district. Fisittings required for administration. I ks is subseduled to be pair stop in Kirchmon the first quarter annel at the Ministry h a width of 130 mm. I formation on the startuction two km north | hile 1!2 h plates the laying e erected eser. Work of 1954. of Railroads at their tus of rail- h of Cuben |
| 3. | A switch A s | trails will be a been sent alorgable will have to litch shop estimate the appreciate of the heart of the mean of a configuration work as a configuration of a configuration of a configuration of a configuration and deliner of the maintenance | ede available to out all the other be produced by ed to cost six re- in Brandenburg-We on is scheduled estimated to law was announded to was announded to by the USSR in jects: | o the Erfurt ra er small iron f y the railroad million elastmar est railfoad re to be started i st two years. technical perso that rails wit in 1954. in ives under cons rankfurt/oder r | ilroad district. Fisittings required for administration. I ks is subseduled to be pair stop in Kirchmon the first quarter unnel at the Ministry h a width of 130 mm. I formation on the statutution two km northallroad line, was 30 | hile 1.2 h plates the laying e erected eser. Work of 1954. of Railroad at their tus of rail- h of Cuben percent |
| 3. | A switten the control on the Constant on The C | trails will be a been sent alors will have to litch shop estimate the appreciase of the previous of the previous of a configuration work is securion of a configuration of a configuration to deline to construction to the maintenance of a completed. The integral of the completed. The integral of the completed. | ede available to out all the other be producted by ed to cost six resident is Brandenburg-We on is scheduled estimated to large was announded of was announded of by the USSR in her for locomotion the Guban-Frankellation inch | o the Erfurt ra er small iron f y the railroad million elastmar est railroad re to be stated i st two years, 2 technical perso that rails wit in 1954. in ives under cons rankfurt/Oder r udes a large en | ilroad district. Fisittings required for administration. I have a subsequent of the subsequent of the first quarter of the first quarter of the width of 130 mm. I have truction two km north ailroad line, was 30 gine house, an office | hile 1.2 h plates the laying e erected eser. Work of 1954. of Railroads at their tus of rail- h of Cuben percent e building |
| 3. | A switch the control on the Constant on The Co | trails will be a been sent alors will have to litch shop estimate the appreciase of the previous formation work to be easien of a configuration of a configuration to deline the construction to be delined to be easily and the maintenance of t | ede available to out all the other be producted by ed to cost six re- in Brandenburg-We on is scheduled estimated to lar exerce held by the was announded of ed by the USSR in hop for locomotion the Guban-Frankllation inclu- ing a water to | o the Erfurt ra er small iron f y the railroad million elastmar est railroad re to be stated i st two years, 2 technical perso that rails wit in 1954. in ives under cons rankfurt/Oder r udes a large en ower, a turntab | ilroad district. Fisittings required for administration. I ks is subseduled to be pair stop in Kirchmon the first quarter annel at the Ministry ha width of 130 mm. I formation on the statutuction two km north ailroad line, was 30 gine house, an official and the necessar | hile 1.2 h plates the laying e erected eser. Work of 1954. of Railroads at their tus of rail- h of Cuben percent e building |
| 3. | A switch the control on the Constant on The Co | trails will be a been sent alors will have to litch shop estimate the apprenises of the previous formation work is exact on of a configuration of a configuration of a configuration to deline to construction to the maintenance of a completed. The integral completed. The integral of the completed. | ede available to out all the other be producted by ed to cost six re- in Brandenburg-We on is scheduled estimated to lar exerce held by the was announded of ed by the USSR in hop for locomotion the Guban-Frankllation inclu- ing a water to | o the Erfurt ra er small iron f y the railroad million elastmar est railroad re to be stated i st two years, 2 technical perso that rails wit in 1954. in ives under cons rankfurt/Oder r udes a large en ower, a turntab | ilroad district. Fisittings required for administration. I ks is subseduled to be pair stop in Kirchmon the first quarter annel at the Ministry ha width of 130 mm. I formation on the statutuction two km north ailroad line, was 30 gine house, an official and the necessar | hile 1!2 h plates the laying e erected eser. Work of 1954. of Railroads at their tus of rail- h of Cuben percent e building |
| 3. | A swi on the on the Const On occor on 7 bases | tails will be a been sent alors will have to a like will have to be been sent alors at the bearing of the mean of a confession | ede available to out all the other be producted by ed to cost six re- is itrandenburg-we on is scheduled estimated to law erence held by was announded ed by the USSR in our for locomoti- on the Guben-Franklation inclu- tiont, a water to were employed of | o the Erfurt ra er small iron f y the railroad million eastmar est railspad re to be started i st two years, 2 technical perso that rails wit in 1954. in ives under cons rankfurt/der r udes a large en ower, a turntab on the project. | ilroad district. Fisittings required for administration. I ks is sheduled to be pair stop in Kirchmon the first quarter annel at the Ministry ha width of 130 mm in truction two km north ailroad line, was 30 gine house, an office le, and the necessarian | hile 112 h plates the laying e erected eser. Work of 1954. of Railroad at their tus of rail- h of Cuben percent e building ry trackage. |
| 3. | have of read A switch the constitution of the Constitution on 7 bases and 1 constitution of the constituti | trails will be a been sent alors will have to add the beginning of the beaution work as a construction of a confession of a co | ede available to out all the other be producted by ed to cost six re- is trandenburg-we on is scheduled estimated to law erence held by was announded ed by the USSR in our for locomoti- on the Guben-Franklation inche were employed our railroad line | o the Erfurt ra er small iron f y the railroad million eastmar est railspad re to be started i st two years, 2 technical perso that rails wit in 1954. in ives under cons rankfurt/der r udes a large en ower, a turntab on the project. ne which was to | ilroad district. Fisittings required for administration. I ks is sheduled to be pair stop in Kirchmon the first quarter annel at the Ministry ha width of 130 mm in truction two km north ailroad line, was 30 gine house, an office le, and the necessary be double-tracked the | hile 112 h plates the laying e erected eser. Work of 1954. of Railroads at their tus of rail- h of Cuben percent e building ry trackage. |
| 3. | have of read A switch the constitution of the Constitution on 7 bases and 1 constitution of the constituti | trails will be a been sent alors will have to add the beginning of the beaution work as a construction of a confession of a co | ede available to out all the other be producted by ed to cost six re- is trandenburg-we on is scheduled estimated to law erence held by was announded ed by the USSR in our for locomoti- on the Guben-Franklation inche were employed our railroad line | o the Erfurt ra er small iron f y the railroad million eastmar est railspad re to be started i st two years, 2 technical perso that rails wit in 1954. in ives under cons rankfurt/der r udes a large en ower, a turntab on the project. ne which was to | ilroad district. Fisittings required for administration. I ks is sheduled to be pair stop in Kirchmon the first quarter annel at the Ministry ha width of 130 mm in truction two km north ailroad line, was 30 gine house, an office le, and the necessarian | hile 112 h plates the laying e erected eser. Work of 1954. of Railroads at their tus of rail- h of Cuben percent e building ry trackage. |
| 3. | A switch on the Constant on the Constant on 7 bases and 1 an | trails will be a been sent alors will have to a like will have to be been sent alors at the been sent and the bearing of the bearing of a conference of a conference of a conference of a construction to be delivered by delivered station. The maintenance of a conference of the maintenance of the mai | ede available to out all the other or out and out of the ou | o the Erfurt ra er small iron f y the railroad million elastmar est railspad re to be started i st two years, technical perso that rails wit in 1954. in ives under cons rankfurt/oder r udes a large en ower, a turntab on the project. ne which was to ed only between | ilroad district. Fisittings required for administration. I ks is sheduled to be pair stop in Kirchmon the first quarter annel at the Ministry ha width of 130 mm in truction two km north ailroad line, was 30 gine house, an office le, and the necessary be double—tracked the farkenberg and Cottle | hile 1!2 h plates the laying e erected eser. Work of 1954. of Railroads at their tus of rail- h of Cuben percent e building ry trackage. hroughout bus. 4 |
| 3. | A switch on the Constant on the Constant on 7 bases and 1 constant on | trails will be a been sent alors will have to a like will have to be been sent alors at the been sent and the bearing of the bearing of a conference of a conference of a conference of a construction to be delivered by delivered station. The maintenance of a conference of the maintenance of the mai | ede available to out all the other be produced by ed to cost six is irrandenburg-we can is scheduled estimated to law was announced de by the USSR in the Guban-Franklation includent, a water to were employed our railroud lines double-tracked printege near where the couples were employed our couples and ouble-tracked printege near where the couples were employed our couples and outle-tracked printege near where the couples were employed our couples were emp | o the Erfurt ra er small iron f y the railroad million elastmar est railspad re to be started i st two years, technical perso that rails wit in 1954. in ives under cons rankfurt/oder r udes a large en ower, a turntab on the project. ne which was to ed only between | ilroad district. Fisittings required for administration. I ks is sheduled to be pair stop in Kirchmon the first quarter annel at the Ministry ha width of 130 mm in truction two km north ailroad line, was 30 gine house, an office le, and the necessary be double-tracked the | hile 1!2 h plates the laying e erected eser. Work of 1954. of Railroads at their tus of rail- h of Cuben percent e building ry trackage. hroughout bus. 4 |
| 3. | A switch on the Constant on the Constant on 7 bases and 1 constant on | trails will be a been sent alors will have to a like will have to be premises of the method in the premises of the method work is a construction work is a construction to be allowed stable an interlocking of bout 350 works at length has the method its | ede available to out all the other be produced by ed to cost six is irrandenburg-we can is scheduled estimated to law was announced de by the USSR in the Guban-Franklation includent, a water to were employed our railroud lines double-tracked printege near where the couples were employed our couples and ouble-tracked printege near where the couples were employed our couples and outle-tracked printege near where the couples were employed our couples were emp | o the Erfurt ra er small iron f y the railroad million elastmar est railspad re to be started i st two years, technical perso that rails wit in 1954. in ives under cons rankfurt/oder r udes a large en ower, a turntab on the project. ne which was to ed only between | ilroad district. Fisittings required for administration. I ks is sheduled to be pair stop in Kirchmon the first quarter annel at the Ministry ha width of 130 mm in truction two km north ailroad line, was 30 gine house, an office le, and the necessary be double—tracked the farkenberg and Cottle | hile 1!2 h plates the laying e erected eser. Work of 1954. of Railroads at their tus of rail- h of Cuben percent e building ry trackage. hroughout bus. 4 |
| 3. | A switten of record of record on the Constant on The Constant on The Constant on The Constant of the Constant | trails will be a been sent alors will have to a tempter sent alors at the premises of the prem | ede available to out all the other out is scheduled estimated to law was announced out out the USSR in out for locomotic out the Guban-Franklation includent, a water to were employed out of all the outless of the outless of the outless out of the outless outle | o the Erfurt ra er small iron f y the railroad million elastmar est railspad re to be started i st two years, technical perso that rails wit in 1954. in ives under cons rankfurt/Oder r udes a large en ower, a turntab on the project. ne which was to ed only between uischke was com | ilroad district. Fisittings required for administration. I ks is sheduled to be pair stop in Kirchmon the first quarter annel at the Ministry ha width of 130 mm in truction two km north ailroad line, was 30 gine house, an office le, and the necessary be double—tracked the farkenberg and Cottle | hile 1!2 h plates the laying e erected eser. Work of 1954. of Railroads at their tus of rail- h of Guben percent e building ry trackage. hroughout bus.4 |
| 3. | A switten of record of record on the Constant on The Constant on The Constant on The Constant of the Constant | trails will be a been sent alors will have to a sent alors will have to a sent alors will have to be premises of the method work to be construction work to be construction to be a sent alors of the maintenance of a construction to be construction to be a sent alors of the maintenance of the mainte | ede available to out all the other out is scheduled estimated to law was announced out out the USSR in out for locomotic out the Guban-Franklation includent, a water to were employed out of all the outless of the outless of the outless out of the outless outle | o the Erfurt ra er small iron f y the railroad million elastmar est railspad re to be started i st two years, technical perso that rails wit in 1954. in ives under cons rankfurt/Oder r udes a large en ower, a turntab on the project. ne which was to ed only between uischke was com | ilroad district. Fisittings required for administration. It is subsequently as a subsequent of the pair supplies in Kirchmon the first quarter annel at the Ministry ha width of 130 mm and truction two km north ailroad line; was 30 gine house, an office le, and the necessary. be double—tracked the farkenberg and Cottipleted according to a subsequent to the pleted according to the subsequent to the subsequ | hile 1!2 h plates the laying e erected eser. Work of 1954. of Railroads at their tus of rail- h of Guben percent e building ry trackage. hroughout bus.4 |
| 3. | have of real A switch and the Constitution of | been sent alors the been sent alors will have the street of the been sent alors the been sent alors of the been sent alors of the been sent alors of the beat of the been sent alors of the beat work of th | ede available to out all the other be produced by ed to cost six resident and its scheduled estimated to law was announded ed by the USSR in the Guban-Fredulation includent, a water to were employed out and outle-tracked by the USSR in the Guban-Fredulation includent, a water to were employed out and outle-tracked bridge near the strings and the bridge near the strings are the bridge near the strings are the strings and the strings are the bridge near the strings are the st | o the Erfurt ra er small iron f y the railroad million elastmar est railsoad re to be started i st two years, technical perso that rails wit in 1954. in ives under cons rankfurt/oder r udes a large en over, a turntab on the project. ne which was to ed only between uischke was com errenhut will pr | ilroad district. Fisittings required for administration. It is subsequently to be pair stop in Kirchmon the first quarter annel at the Ministry ha width of 130 mm. It is truction two km north ailroad line, was 30 gine house, an office le, and the necessary. be double-tracked the farkenberg and Cottipleted according to a robably be completed | hile 1!2 h plates the laying e erected eser. Work of 1954. of Railroads at their tus of rail- h of Guben percent e building ry trackage. hroughout bus.4 schedule in late |
| 3. | have of real A switch and the Constitution of | trails will be a been sent alors will have a been sent alors will have a be a premises of the acceptance of the acceptance of a configuration work as a construction work as a construction and acceptance of the maintenance of the maintenance of the construction and interlocking of the Guben-Talka configuration and the construction are interlocking of the Guben-Talka configuration of the Guben-Talka configuration and the construction are interlocking of the Guben-Talka configuration and the construction are interlocked as a configuration of the construction and the configuration of the construction and the construction are also as a configuration of the construction and the construction are also as a configuration of the construction and the construction are also as a configuration of the construction and the construction are also as a configuration of the construction and the construction are also as a configuration of the construction and the construction are also as a configuration of the construction are a construction are a construction are a construction are a construction and a configuration are a construction are a construction and a configuration are a construction are a construction are a construction and a configuration are a construction are a const | ede available to out all the other be produced by the is scheduled estimated to last was announded and by the USSR in the Guban-Franklation inches and destimated to last was announded and by the USSR in the Guban-Franklation inches and destimated to be a stallation inches and destimated the stallation inches and destimated the stallation inches and destinated the stallation inch | o the Erfurt rater small iron for the railroad million elastmar est railsoad reto be started ist two years. It technical persoathat rails within 1954. in indives under constrantfurt/oder rails within the project. The which was to be donly between the project. The which was compared to the Barrenhut will provide on the Barrenhut will | ilroad district. Fisittings required for administration. I ks is subsedued to be pair stop in Kirchmon the first quarter annel at the Ministry ha width of 130 mm. I truction two km north ailroad line, was 30 gine house, an office le, and the necessary be double-tracked the farkenberg and Cottipleted according to a robably be completed erlin-Frankfurt/Oder | hile 1!2 h plates the laying e erected eser. Work of 1954. of Railroads at their tus of rail- h of Guben percent e building ry trackage hroughout bus.4 schedule in late line is |
| 3. | have of real A switch and the Constitution of | trails will be a been sent alors will have a been sent alors will have a been sent alors at the premises of the construction work as second of a configuration of a c | ede available to out all the other be produced by the is scheduled estimated to last was announded and by the USSR in the Guban-Franklation inches and destimated to last was announded and by the USSR in the Guban-Franklation inches and destimated to be a stallation inches and destimated the stallation inches and destimated the stallation inches and destinated the stallation inch | o the Erfurt rater small iron for the railroad million elastmar est railsoad reto be started ist two years. It technical persoathat rails within 1954. in indives under constrantfurt/oder rails within the project. The which was to be donly between the project. The which was compared to the Barrenhut will provide on the Barrenhut will | ilroad district. Fisittings required for administration. It is subsequently to be pair stop in Kirchmon the first quarter annel at the Ministry ha width of 130 mm. It is truction two km north ailroad line, was 30 gine house, an office le, and the necessary. be double-tracked the farkenberg and Cottipleted according to a robably be completed | hile 112 h plates the laying e erected eser. Work of 1954. of Railroads at their tus of rail- h of Guben percent e building ry trackage. hroughout bus.4 schedule in late line is |
| 3. | have of real A switch and the Constitution of | trails will be a been sent alors will have a been sent alors will have a be a premises of the acceptance of the acceptance of a configuration work as a construction work as a construction and acceptance of the maintenance of the maintenance of the construction and interlocking of the Guben-Talka configuration and the construction are interlocking of the Guben-Talka configuration of the Guben-Talka configuration and the construction are interlocking of the Guben-Talka configuration and the construction are interlocked as a configuration of the construction and the configuration of the construction and the construction are also as a configuration of the construction and the construction are also as a configuration of the construction and the construction are also as a configuration of the construction and the construction are also as a configuration of the construction and the construction are also as a configuration of the construction and the construction are also as a configuration of the construction are a construction are a construction are a construction are a construction and a configuration are a construction are a construction and a configuration are a construction are a construction are a construction and a configuration are a construction are a const | ede available to out all the other be produced by the is scheduled estimated to last was announded and by the USSR in the Guban-Franklation inches and destimated to last was announded and by the USSR in the Guban-Franklation inches and destimated to be a stallation inches and destimated the stallation inches and destimated the stallation inches and destinated the stallation inch | o the Erfurt rater small iron for the railroad million elastmar est railsoad reto be started ist two years. It technical persoathat rails within 1954. in indives under constrantfurt/oder rails within the project. The which was to be donly between the project. The which was compared to the Barrenhut will provide on the Barrenhut will | ilroad district. Fisittings required for administration. I ks is subsedued to be pair stop in Kirchmon the first quarter annel at the Ministry ha width of 130 mm. I truction two km north ailroad line, was 30 gine house, an office le, and the necessary be double-tracked the farkenberg and Cottipleted according to a robably be completed erlin-Frankfurt/Oder | hile 1!2 h plates the laying e erected eser. Work of 1954. of Railroads at their tus of rail- h of Guben percent e building ry trackage hroughout bus.4 schedule in late line is |
| 3. | have of real A switch and the Constitution of | been sent alors alls will have to the hope estimate the premises of the hope here installs the truction work is accasion of a configuration work is accasion of a configuration would be deliable to construction work in a completed. The maintenance of the maintenance of the fall of t | ede available to out all the other be produced by ed to cost six resistant and its scheduled estimated to law was announded ed by the USSR in the Guban-Franklation includent, a water to were employed out railroad linear double-tracked bridge near the bridge near the completed in 1953. | o the Erfurt rater small iron for the railroad million elastmar est railsoad reto be started ist two years. It technical persoathat rails within 1954. in indives under constrantfurt/oder rails within the project. The which was to be donly between the project. The which was compared to the Barrenhut will provide on the Barrenhut will | ilroad district. Fisittings required for administration. I ks is sheduled to be pair stop in Kirchmon the first quarter on the statement of the first quarter of the width of 130 mm of the formation on the statement of the formation on the statement of the first place of the first place of the first place of the first place of the completed according to the first place of the first p | hile 1!2 h plates the laying e erected eser. Work of 1954. of Railroads at their tus of rail- h of Guben percent e building ry trackage hroughout bus.4 schedule in late line is |
| 3. | have of real A switch and the Constitution of | been sent alors alls will have to the hope estimate the premises of the hope new install. The truction work is accession of a craft would be delined would be delined to the highest station. The maintenance of the maintenance of the maintenance of the Guben-Talka on the Guben-Talka on the Guben-Talka on the length work on the length work on the concrete of the conc | ede available to out all the other be produced by ed to cost six resident and is scheduled estimated to law was announced ed by the USSR in the Guban-Franch lation inch tent, a water to were employed out for including a different and the complete the c | o the Erfurt rater small iron for the railroad million elastmar est railabad reto be started ist two years. It the chical perso that rails within 1954. In the project. The which was to be don't be tween uischke was compared to the Base of the Bas | ilroad district. Fisittings required for administration. I ks is subsedued to be pair stop in Kirchmon the first quarter annel at the Ministry ha width of 130 mm. I truction two km north ailroad line, was 30 gine house, an office le, and the necessary be double-tracked the farkenberg and Cottipleted according to a robably be completed erlin-Frankfurt/Oder | hile 112 h plates the laying e erected eser. Work of 1954. of Railroads at their tus of rail- h of Guben percent e building ry trackage. hroughout bus.4 schedule in late line is |
| 3. | have of real A switch and the Constitution of | been sent alors alls will have a sent alors alls will have a letch shop estimate the premises of the new install. The recasion of a configuration work is a construction and delinate would be delinated to the construction and interlocking an interlocking and interlocking an interlocking | ede available to out all the other be produced by ed to cost six resistant and its scheduled estimated to law was announded ed by the USSR in the Guban-Franklation includent, a water to were employed out railroad linear double-tracked bridge near the bridge near the completed in 1953. | o the Erfurt rater small iron for the railroad million elastmar est railabad reto be started ist two years. It the chical perso that rails within 1954. In the project. The which was to be don't be tween uischke was compared to the Base of the Bas | ilroad district. Fisittings required for administration. I ks is sheduled to be pair stop in Kirchmon the first quarter on the statement of the first quarter of the width of 130 mm of the formation on the statement of the formation on the statement of the first place of the first place of the first place of the first place of the completed according to the first place of the first p | hile 112 h plates the laying e erected eser. Work of 1954. of Railroads at their tus of rail- h of Guben percent e building ry trackage. hroughout bus.4 schedule in late line is |



| | | | | | 25X1 | | |
|-------------------|------|--|---|---|------------------------------|---|---|
| | | | securit. | | - | | 25X1 |
| | | | | | | - | |
| | | | | 3 - | | | |
| | | | | , i | | | |
| | | bo | The bridge over the Wu | the River neer Ku | estric to being | g-Souble-tracked. | 1 |
| | | | The laying of the secon The speed limit for the | | | | ¥ |
| | | | bridge consists of mili | itary bridge equip | pent. The bridg | e sarged a little | |
| | | | because one strut frame | of the bridge sta | peratructure ba | toko. | · · · · · · |
| | | Co | | | | | |
| | | | been operated single-or replaced. Construction | | | | |
| | | | Some of the Soviet tran | sit traffic throu | rh Poland is be | ing ilrected through | |
| 0.5344 | · · | | and the same | | | | |
| 25X1 | 190 | had | been reconstructed. Two | | | ond vladuet mear Goerk are baing reconstructs | |
| 25X1 | 16. | N. d. | Discount of Market back | | | ad bridge over the | - 1 |
| | | | sse River at Muskau had nked。9 | peen reconstructed | e except for on | e. Wildn was stail | á . |
| 25X1 | 17. | $\overline{\Box}$ | * | 30 track | n. Nadaham 1946 | l n'or dhe neu mandrell | • 1 |
| | | | d west of the Oder Rivor | in Frankfurt, The | lastalletions | of the pard are sche | 1 |
| | | tion | ed to be completed in S | 194. A temporary in | urecrocking br | mis is already in open | . 1 |
| 25X1 | ъ Г | | | (A 202 to and models | | - A | |
| | n | of k | heavy type rails, is sub | eduled to be furni | ished by the US | nd of 500 km of brecked SRL decorating to vnc. | |
| | | coni | firmed information, about file of these rails devi | it 7,000 tons of re | ills amired by | r late October. As the | i |
| 0EV4 | | new | railroad lines or the c | onstruction of a | second cit or | existing lines. | 25X1 |
| 25X1 | | | | · . | | | ¬ |
| 25X1 | 2, | | | | | | 25X1 |
| | 3. | | Comment. The project | was included in th | ne 11953 constru | gaion program, | , · · · · · · · · · · · · · · · · · · · |
| 0EV4 | 40 | 20.00 | Comment. The complete | on of the Falkenbe | ers-Cottbes rai | troad line section was | i i |
| 25X1 | | 1610 | | | ᆜ | • | |
| 25X1 25X1 | 5. | Loek | Comment. Wuischke is: | on the Bautzen-Bac | i Schändar line | : Remenhut on the | |
| 25X1 | 6. [| Was | orment. The replace included in the 195% re | ment of the tempor ilroad construction | ramy buides by a program, | a bermanent structure | - ; is |
| 25X1 | 7. | OFFICE PROPERTY OF THE PARTY OF | Comment. Plans on the | | | h is connected whith | 13 |
| | | O[BSI | n-cast brown coal mining | , were reported pr | sauronară. | | |
| 25X1 ⁸ | 3 [| · . | Comment, This informa | tion, which is ere | diala te fuer | richad for tha fire | , |
| 20/(1 | | | The new line would es | tablish a cross co | unischion betwe | enganne ol-euA ert no | |
| | | | stadt.and the Auc-Adorf action program. | lines. The project | was not inclu | und in the 1914 con- | - n - 4 |
| | | | · | | | | , |
| | | | | . 171 | | , | |
| 25X1 | | | | * 0 | | | |
| | | • | • | | | | |
| | | | SECR | Tr. | | 25X1 | 7) A |
| | | | | | | _ | |

SECRET 25X1 to Bod Salzunger Vacha Unterbreiz-Suenna railrood station Pfeeds dorf Wenigentaff Buttlan to Orchisen to Matziar

not to scale

SECRET 25X1
Approved For Release 2005/07/13 : CIA-RDP80-00810A003200620006-2